

# CLOSANTEX 5%

## INJECTABLE SOLUTION

**Composition:**

Each ml solution contains: 50 mg closantel.

**Spectrum:**

Closantel is a broadspectrum antiparasitic agent, active against haematophagic nematodes (*Haemonchus contortus*), trematodes (*Fasciola hepatica*), and all larval stages of Hypoderma-Oestrus spp. (*Hypoderma bovis*, *Hypoderma lineatum*, *Oestrus ovis*).



**Indications:**

Prevention and treatment of hepatic distomatosis, hypodermosis in subcutaneous phase and nematodosis by haematophages caused by the following parasites: subcutaneous larvae of *Hypoderma spp*; larval and adult stages of *Fasciola hepatica*; larval stages of *Oestrus ovis* (nasal bot); larval and adult stages of haematophagic nematodes: *Haemonchus contortus*, *Haemonchus placei*, *Bunostomum phlebotomun*, *Oesophagostomum radiatum*, *Chabertia ovis*.

**Contra-indications:**

Use in lactating animals whose milk is to be used for human consumption.  
Use in pregnant animals one month before and after delivery.

**Side-effects:**

No side-effects are reported when used at therapeutic doses.

**Dosage and administration:**

For subcutaneous or intramuscular administration.  
The general single dose for cattle and sheep is 0.5 -1.0 ml per 10 kg body weight.  
Shake well before use.

**Withdrawal time:**

For meat: 28 days.

**Storage:**

Store closed between 8 – 25 °C, protected from light.

**Shelf life:**

3 years.

**Presentation:**

Multidose vial of 100 ml or 250 ml.

### FOR VETERINARY USE ONLY