

# PHENYLBUTAZONE 200

## INJECTABLE SOLUTION

**Composition:**

Each ml solution contains: 200 mg phenylbutazone sodium.

**Spectrum of activity:**

Phenylbutazone is a synthetic non-steroidal anti-inflammatory agent, which also exhibits analgesic and anti-pyretic properties (without loss of consciousness). It is especially useful in the treatment of: (rheumatoid) dysfunctions of joints, arthrosis and arthritis of different origin and rheumatic disorders of muscles.

**Indications:**

Arthritis, bursitis, myositis, tendonitis, tendo-vaginitis, neuritis, impotentia coeundi of bull and boar. Painful injury (like luxation, sprain, muscle damage), enzootic pneumonia and, in combination with antibiotic treatment, mastitis, in horses, cattle, pigs, dogs and cats.

**Contra-indications:**

Heart-, liver or renal dysfunctions, simultaneous administration with other strong protein binding drugs (like salicylates and sulphonamides), use in very young animals.

**Side-effects:**

Sometimes kidney damage with haemorrhages or blood dyscrasias may occur (long-term treatment), furthermore gastric and eternal irritation, and in horses oedema, erosions of buccal mucosa and necrosis of hepatic veins have been reported, especially after extended doses.

**Dosage and administration:**

For slow intravenous or deep intramuscular administration.

Horses: 10 - 20 ml per animal i.v. (maximal 5 days)

Cattle: 10 ml per animal i.v. or i.m.

Calf, foal: 6-10 ml per animal i.v. or i.m.

Pigs: 2-5 ml per animal i.m.

Dogs: 1 ml per 15 kg bodyweight i.v. or i.m.

Cats: 0.3 ml per animal i.v. or i.m.

Treatment of racing-horses should be stopped at least 5 days before the race (dope).

Avoid the application of more than 10 ml per injection site in cows and more than 2 ml per injection site in dogs because of tissue damage.

**Withdrawal:**

For meat: 10 days.

For milk: 4 days.

**Storage:**

Store between 15 °C and 25 °C and protected from light.

**Shelf life:**

2 years.

**Presentation:**

100 ml multidose vial.



## FOR VETERINARY USE ONLY